

A-Core Container

Conditions for 2MWH Lead-acid Batteries for Communication Base Stations



Overview

Repurposing spent batteries in communication base stations (CBSs) is a promising option to dispose massive spent lithium-ion batteries (LIBs) from electric vehicles (EVs), yet the environmental fea.

Does secondary use of lithium ion batteries reduce the MDP value?

The findings of this study indicate a potential dilemma; more raw metals are depleted during the secondary use of LIBs in CBSs than in the LAB scenario. On the one hand, the secondary use of LIBs reduces the MDP value by extending the service life of the batteries, although more metal resources are consumed during the repurposing activities.

Can repurposed EV batteries be used in communication base stations?

Among the potential applications of repurposed EV LIBs, the use of these batteries in communication base stations (CBSs) is one of the most promising candidates owing to the large-scale onsite energy storage demand (Heymans et al., 2014; Sathre et al., 2015).

Are lithium-ion batteries used in EV power supply systems?

Owing to the long cycle life and high energy and power density, lithium-ion batteries (LIBs) are the most widely used technology in the power supply system of EVs (Opitz et al. (2017); Alfaro-Algaba and Ramirez et al., 2020).

What happens if repurposed lithium ion batteries are widely promoted?

On the other hand, if the secondary use of repurposed LIBs is widely promoted, a delay in metal circulation will occur; the material availability might be questionable, and more primary lithium, copper, and aluminum have to be extracted to meet the supply shortages in the manufacturing sector.

Which stakeholders should bear the environmental burdens of battery recycling?

Since battery recycling occurs at the end of the secondary use in CBS, stakeholders in the reusing sector should bear the environmental burdens

of recycling. In this case, the two allocation factors α and β are respectively set to 0 and 1.

Should repurposed lithium batteries be used as a lab system?

From the resource point of view, the MDP of repurposed LIBs is not always preferable to that of the conventional LAB system. Recently, the environmental and social impacts of battery metals such as nickel, lithium and cobalt, have drawn much attention due to the ever-increasing demand (Ziemann et al., 2019; Watari et al., 2020).

Conditions for 2MWH Lead-acid Batteries for Communication Base S

Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.a-core.pl>